
	120	Kouřová roura 250/ <b>120</b> mm	<b>226</b>	259	<b>273</b>
		Kouřová roura 500/ <b>120</b> mm	<b>374</b>	430	<b>452</b>
		Kouřová roura 1000/ <b>120</b> mm	<b>587</b>	675	<b>710</b>
	130	Kouřová roura 250/ <b>130</b> mm	<b>247</b>	284	<b>299</b>
		Kouřová roura 500/ <b>130</b> mm	<b>386</b>	444	<b>467</b>
		Kouřová roura 1000/ <b>130</b> mm	<b>615</b>	707	<b>744</b>
	150	Kouřová roura 150/ <b>150</b> mm	<b>345</b>	397	<b>418</b>
		Kouřová roura 250/ <b>150</b> mm	<b>360</b>	413	<b>435</b>
		Kouřová roura 500/ <b>150</b> mm	<b>561</b>	645	<b>679</b>
		Kouřová roura 1000/ <b>150</b> mm	<b>701</b>	806	<b>848</b>
	160	Kouřová roura 250/ <b>160</b> mm	<b>345</b>	397	<b>418</b>
		Kouřová roura 500/ <b>160</b> mm	<b>561</b>	645	<b>679</b>
Kouřová roura 1000/ <b>160</b> mm		<b>708</b>	814	<b>856</b>	
180	Kouřová roura 250/ <b>180</b> mm	<b>374</b>	430	<b>452</b>	
	Kouřová roura 500/ <b>180</b> mm	<b>578</b>	665	<b>700</b>	
	Kouřová roura 1000/ <b>180</b> mm	<b>795</b>	915	<b>962</b>	
200	Kouřová roura 250/ <b>200</b> mm	<b>474</b>	545	<b>573</b>	
	Kouřová roura 500/ <b>200</b> mm	<b>642</b>	738	<b>776</b>	
	Kouřová roura 1000/ <b>200</b> mm	<b>853</b>	981	<b>1032</b>	
<b>ČISTÍCÍ OTVOR</b>	120	Kouřová roura 250/ <b>120</b> mm s čist. Otv.	<b>334</b>	384	<b>404</b>
		Kouřová roura 250/ <b>130</b> mm s čist. Otv.	<b>343</b>	394	<b>415</b>
	150	Kouřová roura 500/ <b>150</b> mm s čist. Otv.	<b>554</b>	637	<b>670</b>
		Kouřová roura 250/ <b>150</b> mm s čist. Otv.	<b>395</b>	454	<b>478</b>
	160	Kouřová roura 500/ <b>160</b> mm s čist. Otv.	<b>400</b>	461	<b>485</b>
		Kouřová roura 250/ <b>160</b> mm s čist. Otv.	<b>571</b>	657	<b>691</b>
	180	Kouřová roura 500/ <b>180</b> mm s čist. Otv.	<b>615</b>	707	<b>744</b>
		Kouřová roura 250/ <b>180</b> mm s čist. Otv.	<b>430</b>	495	<b>520</b>
200	Kouřová roura 500/ <b>200</b> mm s čist. Otv.	<b>784</b>	902	<b>949</b>	
	Kouřová roura 250/ <b>200</b> mm s čist. Otv.	<b>460</b>	529	<b>556</b>	
	uni	Ovládací klička pro dlouhou klapku	<b>288</b>	331	<b>349</b>
	120	Kouřová roura 250/ <b>120</b> mm s klapkou	<b>460</b>	529	<b>557</b>
		Kouřová roura 500/ <b>120</b> mm s klapkou	<b>613</b>	705	<b>742</b>
	130	Kouřová roura 250/ <b>130</b> mm s klapkou	<b>480</b>	552	<b>581</b>
		Kouřová roura 500/ <b>130</b> mm s klapkou	<b>633</b>	728	<b>766</b>
	150	Kouřová roura 250/ <b>150</b> mm s dlouhou kl.	<b>784</b>	901	<b>948</b>
		Kouřová roura 250/ <b>150</b> mm s klapkou	<b>540</b>	621	<b>653</b>
		Kouřová roura 500/ <b>150</b> mm s klapkou	<b>675</b>	776	<b>816</b>
160	Kouřová roura 500/ <b>160</b> mm s klapkou	<b>710</b>	817	<b>859</b>	

	100	Kouřová roura 250/ <b>160</b> mm s klapkou	<b>544</b>	625	<b>658</b>	
	180	Kouřová roura 500/ <b>180</b> mm s klapkou	<b>764</b>	879	<b>924</b>	
		Kouřová roura 250/ <b>180</b> mm s klapkou	<b>582</b>	670	<b>704</b>	
		Kouřová roura 250/ <b>180</b> mm s dlouhou kl.	<b>764</b>	879	<b>924</b>	
	200	Kouřová roura 500/ <b>200</b> mm s klapkou	<b>959</b>	1102	<b>1160</b>	
		Kouřová roura 250/ <b>200</b> mm s klapkou	<b>613</b>	705	<b>742</b>	
Kouřová roura 250/ <b>200</b> mm s dlouhou kl.		<b>613</b>	705	<b>742</b>		
<b>PEVNÉ</b>	120	Koleno 90°/ <b>120</b>	<b>333</b>	383	<b>403</b>	
		Koleno 90°/ <b>120</b> s čist. Otvorem	<b>412</b>	474	<b>498</b>	
	130	Koleno 90°/ <b>130</b>	<b>343</b>	395	<b>415</b>	
		Koleno 90°/ <b>130</b> s čist. Otvorem	<b>423</b>	487	<b>512</b>	
	150	Koleno 90°/ <b>150</b>	<b>411</b>	472	<b>497</b>	
		Koleno 90°/ <b>150</b> s čist. Otvorem	<b>506</b>	582	<b>613</b>	
		Koleno 90°/ <b>150</b> s Klapkou	<b>608</b>	700	<b>736</b>	
		Koleno 90°/ <b>150</b> s čist. otv., Klapkou	<b>712</b>	819	<b>862</b>	
	160	Koleno 90°/ <b>160</b>	<b>408</b>	469	<b>493</b>	
		Koleno 90°/ <b>160</b> s čist. Otvorem	<b>494</b>	568	<b>598</b>	
	180	Koleno 90°/ <b>180</b>	<b>453</b>	521	<b>549</b>	
		Koleno 90°/ <b>180</b> s čist. Otvorem	<b>556</b>	640	<b>673</b>	
	200	Koleno 90°/ <b>200</b>	<b>494</b>	568	<b>598</b>	
		Koleno 90°/ <b>200</b> s čist. Otvorem	<b>590</b>	678	<b>714</b>	
		120	Koleno 45°/ <b>120</b>	<b>333</b>	383	<b>403</b>
			Koleno 45°/ <b>120</b> s čist. Otvorem	<b>411</b>	472	<b>497</b>
			Koleno 45°/ <b>120</b> přestavitelné	<b>483</b>	555	<b>584</b>
		130	Koleno 45°/ <b>130</b>	<b>341</b>	392	<b>413</b>
Koleno 45°/ <b>130</b> s čist. Otvorem			<b>421</b>	484	<b>510</b>	
Koleno 45°/ <b>130</b> přestavitelné			<b>493</b>	567	<b>596</b>	
150		Koleno 45°/ <b>150</b>	<b>411</b>	472	<b>497</b>	
		Koleno 45°/ <b>150</b> s čist. Otvorem	<b>506</b>	582	<b>613</b>	
		Koleno 45°/ <b>150</b> přestavitelné	<b>578</b>	665	<b>700</b>	
160		Koleno 45°/ <b>160</b>	<b>408</b>	469	<b>493</b>	
		Koleno 45°/ <b>160</b> s čist. Otvorem	<b>494</b>	568	<b>598</b>	
		Koleno 45°/ <b>160</b> přestavitelné	<b>566</b>	651	<b>685</b>	
180	Koleno 45°/ <b>180</b>	<b>453</b>	521	<b>549</b>		
	Koleno 45°/ <b>180</b> s čist. Otvorem	<b>556</b>	640	<b>673</b>		
	Koleno 45°/ <b>180</b> přestavitelné	<b>628</b>	722	<b>760</b>		
200	Koleno 45°/ <b>200</b>	<b>494</b>	568	<b>598</b>		
	Koleno 45°/ <b>200</b> s čist. Otvorem	<b>590</b>	678	<b>714</b>		
	Koleno 45°/ <b>200</b> přestavitelné	<b>661</b>	761	<b>800</b>		
<b>PŘESTAVITELNÉ</b>	120	Koleno 90°/ <b>120</b> přestavitelné	<b>595</b>	684	<b>720</b>	

	120	Koleno 90°/120 přestavitelné s čist. otv.	<b>688</b>	792	<b>833</b>
	130	Koleno 90°/130 přestavitelné	<b>612</b>	703	<b>740</b>
Koleno 90°/130 přestavitelné s čist. otv.		<b>706</b>	812	<b>854</b>	
	150	Koleno 90°/150 přestavitelné	<b>676</b>	777	<b>818</b>
		Koleno 90°/150 přestavitelné s čist. otv.	<b>776</b>	892	<b>939</b>
	160	Koleno 90°/160 přestavitelné	<b>659</b>	758	<b>798</b>
		Koleno 90°/160 přestavitelné s čist. otv.	<b>753</b>	866	<b>911</b>
180	Koleno 90°/180 přestavitelné	<b>676</b>	777	<b>818</b>	
	Koleno 90°/180 přestavitelné s čist. otv.	<b>770</b>	885	<b>931</b>	
200	Koleno 90°/200 přestavitelné	<b>688</b>	792	<b>833</b>	
	Koleno 90°/200 přestavitelné s čist. otv.	<b>782</b>	899	<b>946</b>	
	120	Kroužek 120mm	<b>79</b>	91	<b>96</b>
	130	Kroužek 130mm	<b>81</b>	93	<b>98</b>
	150	Kroužek 150mm	<b>101</b>	116	<b>122</b>
		Kroužek 157mm	<b>177</b>	203	<b>214</b>
		Kroužek 155mm lem 90 mm	<b>390</b>	449	<b>472</b>
	160	Kroužek 160mm	<b>99</b>	114	<b>120</b>
	180	Kroužek 180mm	<b>109</b>	126	<b>132</b>
	200	Kroužek 200mm	<b>118</b>	135	<b>142</b>
	150	Žalúzie kouřovodu 5 lamel	<b>1004</b>	1154	<b>1214</b>
	120	Redukce zdvojené 120/150mm	<b>380</b>	436	<b>459</b>
		Redukce zdvojené 120/180mm	<b>413</b>	474	<b>499</b>
	130	Redukce zdvojené 130/150mm	<b>392</b>	450	<b>474</b>
		Redukce zdvojené 130/180mm	<b>392</b>	450	<b>474</b>
	150	Redukce zdvojené 150/160mm	<b>413</b>	474	<b>499</b>
		Redukce zdvojené 150/175mm	<b>392</b>	450	<b>474</b>
		Redukce zdvojené 150/180mm	<b>413</b>	474	<b>499</b>
		Redukce zdvojené 150/195mm	<b>413</b>	474	<b>499</b>
160	Redukce zdvojené 160/180mm	<b>380</b>	436	<b>459</b>	
	Redukce zdvojené 160/200mm	<b>413</b>	474	<b>499</b>	
180	Redukce zdvojené 180/200mm	<b>416</b>	478	<b>503</b>	
<b>REDUKCE TENKÁ KERAMIKA</b> 	150	Redukce TEC keramika 150/160mm	<b>1166</b>	1341	<b>1411</b>
		Redukce TEC keramika 150/180mm	<b>1309</b>	1505	<b>1584</b>
		Redukce TEC keramika 150/200mm	<b>1485</b>	1708	<b>1797</b>
	180	Redukce TEC keramika 180/180mm	<b>1309</b>	1505	<b>1584</b>
		Redukce TEC keramika 180/200mm	<b>1309</b>	1505	<b>1584</b>
200	Redukce TEC keramika 200/200mm	<b>1485</b>	1708	<b>1797</b>	
	150	Redukce TEC VNITŘNÍ 150/180mm	<b>1441</b>	1657	<b>1744</b>

	150	Redukce TEC VNITŘNÍ <b>150/200mm</b>	<b>1474</b>	1695	<b>1784</b>
	160	Redukce TEC VNITŘNÍ <b>160/200mm</b>	<b>1474</b>	1695	<b>1784</b>
<b>REDUKCE KERAMIKA</b> 	150	Redukce převlečná <b>150/200mm</b>	<b>792</b>	911	<b>958</b>
		Redukce převlečná <b>150/180mm</b>	<b>774</b>	891	<b>937</b>
		Redukce převlečná <b>150/160mm</b>	<b>755</b>	868	<b>913</b>
	160	Redukce převlečná <b>160/180mm</b>	<b>774</b>	891	<b>937</b>
		Redukce převlečná <b>160/200mm</b>	<b>792</b>	911	<b>958</b>
	180	Redukce převlečná <b>180/200mm</b>	<b>774</b>	891	<b>937</b>
		Redukce převlečná <b>180/180mm</b>	<b>774</b>	891	<b>937</b>
	200	Redukce převlečná <b>200/200mm</b>	<b>792</b>	911	<b>958</b>
	150	<b>BEZ ZÁRUKY</b>			
		Redukce do 45st. Keram. <b>150/180mm</b>	<b>1352</b>	1555	<b>1636</b>
		Redukce do 45st. Keram. <b>150/200mm</b>	<b>1352</b>	1555	<b>1636</b>
	130	Redukce do ker. s provazcem <b>130/180</b>	<b>696</b>	801	<b>843</b>
		Redukce do ker. s provazcem <b>130/200</b>	<b>706</b>	812	<b>855</b>
	150	Redukce do ker. s provazcem <b>150/180</b>	<b>682</b>	784	<b>825</b>
		Redukce do ker. s provazcem <b>150/200</b>	<b>715</b>	822	<b>865</b>
	150	Napojení T-kus 150	<b>843</b>	969	<b>1020</b>
	120	Záslepka sopouchu	<b>143</b>	164	<b>173</b>
	130	Záslepka sopouchu	<b>154</b>	177	<b>186</b>
	150	Záslepka sopouchu	<b>198</b>	228	<b>240</b>
	160	Záslepka sopouchu	<b>209</b>	240	<b>253</b>
	180	Záslepka sopouchu	<b>218</b>	250	<b>264</b>
	200	Záslepka sopouchu	<b>231</b>	266	<b>280</b>
	130	Výměník 130 mm výška 360 mm	<b>2021</b>	2324	<b>2445</b>
		Výměník 130 mm výška 540 mm	<b>2382</b>	2739	<b>2882</b>
	150	Výměník 150 mm výška 360 mm	<b>2021</b>	2324	<b>2445</b>
		Výměník 150 mm výška 540 mm	<b>2382</b>	2739	<b>2882</b>
	150	Ochrana proti sálání 500 mm	<b>1210</b>	1392	<b>1464</b>
	160	Kotvící objímka	<b>402</b>	462	<b>486</b>
	180	Kotvící objímka	<b>402</b>	462	<b>486</b>
	Zděř 120		<b>100</b>	115	<b>121</b>
	Zděř 130		<b>100</b>	115	<b>121</b>
	Zděř 150		<b>114</b>	132	<b>138</b>



Zděř 160	<b>114</b>	132	<b>138</b>
Zděř 180	<b>130</b>	149	<b>157</b>
Zděř 200	<b>145</b>	167	<b>176</b>

**Pro obchodní partnery možnost výhodných rabatových slev 20 - 40%**